

# Safety Data Sheet

## Bore-Commander

SDS Revision Date: 02/22/2018

### 1. Identification

#### 1.1. Product identifier

**Product Identity** Bore-Commander  
**Alternate Names** Anionic Liquid PHPA

#### 1.2. Relevant identified uses of the substance or mixture and application method

**Intended use** Viscosifier/Shale-Clay Encapsulator  
**Application Method** See Technical Data Sheet.

#### 1.3. Details of the supplier of the safety data sheet

**Company Name** Right Turn Supply LLC  
P.O. Box 132016  
Spring, Texas 77393, USA

#### Emergency

**CHEMTREC (USA)** (800) 424-9300  
**24 hour Emergency Telephone No.** International +1-703-527-3887  
**Customer Service: NorthStar Fluid Solutions** (281) 413-1939

### 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Skin corrosion/irritation	Category 2
---------------------------	------------

#### 2.2. Label elements

##### Hazard Pictograms



**Signal Word** Warning  
**Hazard Statements** H315 Causes skin irritation.

##### Precautionary Statements

###### [Prevention]:

P280 Wear protective gloves.  
P264 Wash with plenty of water and soap thoroughly after handling.

###### [Response]:

P302 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water.  
P332 + P313 If skin irritation occurs: Get medical advice/attention.  
P362 Take off contaminated clothing.

# Safety Data Sheet

## Bore-Commander

SDS Revision Date: 02/22/2018

[Storage]: None

[Disposal]:

P501

Dispose of contents/container as special waste in compliance with all regulations

### 2.3 Hazards not otherwise classified

Caution – Solutions extremely slippery when spilled

Causes skin irritation

May cause eye irritation

May cause gastrointestinal irritation, nausea, vomiting, and diarrhea

Avoid inhalation of mists/vapours.

## 3. Composition/information on ingredients

Substances	CAS Number	Concentration [%]	GHS Classification - US
Distillates (petroleum), hydrotreated light	64742-47-8	23 - 25%	Danger
Alcohols, C12-16, ethoxylated	68551-12-2	0 - 5%	Danger
Alcohols, C10-16, ethoxylated	68002-97-1	0 - 5%	Danger
Alcohols, C12-14, ethoxylated	68439-50-9	0 - 5%	Danger

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

## 4. First aid measures

### 4.1. Description of first aid measures

#### Inhalation

Move to fresh air. Consult a physician if necessary.

#### Eyes

Rinse immediately with plenty of water for at least 15 minutes with eyelids held open. Obtain medical attention.

#### Skin

Take off contaminated clothing and shoes immediately. Wash off with soap and water. If symptoms persist, call a physician. Wash contaminated clothing before re-use.

#### Ingestion

Immediately rinse mouth with water. Do NOT induce vomiting. Obtain immediate medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

May cause eye and skin irritation.

## 5. Fire-fighting measures

### 5.1. Extinguishing media

Water spray, Carbon dioxide (CO<sub>2</sub>), Dry chemical  
Alcohol-resistant foam

### 5.2. Special hazards arising from the substance or mixture

No information available.

# Safety Data Sheet

## Bore-Commander

SDS Revision Date: 02/22/2018

### 5.3. Advice for fire-fighters

Full protective clothing and approved self-contained breathing apparatus required for firefighting personnel. In the event of fire, cool tanks with water spray.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Where the exposure level is not known, wear approved, positive pressure, self-contained respirator. Where the exposure level is known, wear approved respirator suitable for the level of exposure.

### 6.2. Environmental precautions

Use caution when using around Environmentally Sensitive areas

### 6.3. Methods and material for containment and cleaning up

Danger for slipping. Soak up with inert absorbent material. Take up mechanically and collect into suitable containers for disposal. Flush with water. Use detergent if needed.

## 7. Handling and storage

### 7.1. Precautions for safe handling

Ensure adequate ventilation. For personal protection see section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

Flashpoint determination was performed using a Pensky Martens type closed cup method. The method indicates a flash point greater than 93,3° C (200° F). Although there was no flashpoint detected below 93,3° C (200° F) some flammable vapours were evolved during the test as evidenced by the enlargement of the flame. Therefore caution should be exercised during storage and handling.

### Materials for packaging

**Unsuitable material:** To avoid product degradation and equipment corrosion, do not use iron, copper or aluminium containers or equipment.

## 8. Exposure controls and personal protection

### 8.1. Occupational Exposure Limits

Substance	ACGIH TLV-TWA	
Distillates (petroleum), hydrotreated light		TWA value 200 mg/m <sup>3</sup> Non-aerosol (total hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol exposures. Skin Designation Non-aerosol (total hydrocarbon vapor); The substance can be absorbed through the skin.

### 8.2. Exposure controls

#### Respiratory

When there is potential for airborne exposures in excess of applicable limits, wear NIOSH/MSHA approved respiratory protection.

# Safety Data Sheet

## Bore-Commander

SDS Revision Date: 02/22/2018

<b>Eyes</b>	Tightly fitting safety goggles
<b>Hands</b>	Impervious gloves Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
<b>Skin</b>	Protective clothing
<b>Engineering Controls</b>	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing. Do not breathe vapor. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation.
<b>Other Work Practices</b>	If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

See section 2 for further details. - [Prevention]:

## 9. Physical and chemical properties

<b>Appearance</b>	White, viscous liquid
<b>Odor</b>	Hydrocarbon-like
<b>Odor threshold</b>	No data available
<b>pH</b>	5 - 8 @ 5 g/L
<b>Melting point / freezing point</b>	No data available
<b>Initial boiling point and boiling range</b>	175 °C / 347 °F
<b>Flash Point</b>	> 201 °F (Pensky-Martens)
<b>Evaporation rate (Ether = 1)</b>	< 1
<b>Flammability (solid, gas)</b>	No data available
<b>Upper/lower flammability or explosive limits</b>	No data available
<b>Vapor pressure (Pa)</b>	No data available
<b>Vapor Density</b>	No data available
<b>Specific Gravity</b>	No data available
<b>Solubility in Water</b>	Soluble in water
<b>Partition coefficient n-octanol/water (Log Kow)</b>	No data available
<b>Auto-ignition temperature</b>	No data available
<b>Decomposition temperature</b>	No data available
<b>Viscosity</b>	> 20.5 mm <sup>2</sup> /s @ 40°C
<b>Density</b>	Approximately 1.1 g/cm <sup>3</sup>

### 9.2. Other information

No data available

# Safety Data Sheet

## Bore-Commander

SDS Revision Date: 02/22/2018

### 10. Stability and reactivity

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Protect from frost, heat and sunlight.

#### 10.5. Incompatible materials

Incompatible with oxidizing agents.

#### 10.6. Hazardous decomposition products

Thermal decomposition may produce: nitrogen oxides (NO<sub>x</sub>), carbon oxides (CO<sub>x</sub>). Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.

### 11. Toxicological information

#### 11.1 Information on likely routes of exposure

**Principle Route of Exposure** Eye or skin contact, inhalation.

#### 11.2 Symptoms related to the physical, chemical and toxicological characteristics

##### Acute Toxicity

<b>Eye Contact</b>	May cause mild eye irritation.
<b>Skin Contact</b>	May cause mild skin irritation.
<b>Aspiration</b>	May cause mild respiratory irritation.
<b>Ingestion</b>	May cause mild gastric distress.

##### Chronic Toxicity/Effects

No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

#### 11.3 Toxicity data

##### Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrotreated light petroleum distillate	64742-47-8	> 5000 mg/kg (Rat) (similar substance)	> 2000 mg/kg (Rabbit) (similar substance)	> 5.28 mg/L (Rat) 4h (similar substance)
Ethoxylated alcohol	Proprietary	1700 mg/kg (Rat) 1650 mg/kg (Dog) 1100 mg/kg (Rat) (similar substance) 2850 mg/kg (Rat)	> 2000 mg/kg (Rabbit) (similar substance)	> saturated concentration (similar substance)

Substances	CAS Number	Skin corrosion/irritation
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to the skin (similar substances)
Ethoxylated alcohol	Proprietary	Causes moderate skin irritation. (Rabbit) (similar substances)

# Safety Data Sheet

## Bore-Commander

SDS Revision Date: 02/22/2018

Substances	CAS Number	Eye damage/irritation
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to the eye (Rabbit)
Ethoxylated alcohol	Proprietary	Causes severe eye irritation which may damage tissue. (Rabbit) (similar substances)

Substances	CAS Number	Skin Sensitization
Hydrotreated light petroleum distillate	64742-47-8	Did not cause sensitization on laboratory animals (guinea pig) (similar substances)
Ethoxylated alcohol	Proprietary	Did not cause sensitization on laboratory animals (guinea pig) (similar substances)

Substances	CAS Number	Respiratory Sensitization
Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethoxylated alcohol	Proprietary	No information available

Substances	CAS Number	Mutagenic Effects
Hydrotreated light petroleum distillate	64742-47-8	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects. (similar substances)
Ethoxylated alcohol	Proprietary	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects. (similar substances)

Substances	CAS Number	Carcinogenic Effects
Hydrotreated light petroleum distillate	64742-47-8	Did not show carcinogenic effects in animal experiments
Ethoxylated alcohol	Proprietary	Did not show carcinogenic or teratogenic effects in animal experiments (similar substances)

Substances	CAS Number	Reproductive toxicity
Hydrotreated light petroleum distillate	64742-47-8	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)
Ethoxylated alcohol	Proprietary	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)

Substances	CAS Number	STOT - single exposure
Hydrotreated light petroleum distillate	64742-47-8	May cause disorder and damage to the Central Nervous System (CNS) (similar substances)
Ethoxylated alcohol	Proprietary	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)

Substances	CAS Number	STOT - repeated exposure
Hydrotreated light petroleum distillate	64742-47-8	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)
Ethoxylated alcohol	Proprietary	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)

Substances	CAS Number	Aspiration hazard
Hydrotreated light petroleum distillate	64742-47-8	Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal.
Ethoxylated alcohol	Proprietary	Not applicable

# Safety Data Sheet

## Bore-Commander

SDS Revision Date: 02/22/2018

### 12. Ecological information

#### 12.1. Toxicity

##### Aquatic Ecotoxicity

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Hydrotreated light petroleum distillate	64742-47-8	EC50 (72h) > 1,000 mg/L (Skeletonema costatum) ErL50 (72h) > 1000 mg/L (Pseudokirchneriella subcapitata) EbL50 (72h) > 1000 mg/L (Pseudokirchneriella subcapitata) NOELR (72h) 1000 mg/L (Pseudokirchneriella subcapitata)	LC50 (96h) > 10,000 mg/L (Scophthalmus maximus) LL50 (96h) > 1000 mg/L (Oncorhynchus mykiss)	No information available	LC50 (48h) > 10,000 mg/L (Acartia tonsa) EC50 (48h) 1100 mg/L (Daphnia pulex) LC50 (48h) 0.12 mg/L (Daphnia magna) EL50 (48h) > 1000 mg/L (Daphnia magna)
Ethoxylated alcohol	Proprietary	EC50 (48h) 2-4 mg/L (Selenastrum capricornutum) (similar substance) ErC50 (72h) 0.282 mg/L (Selenastrum capricornutum) (similar substance) ErC10 0.137 mg/L (Scenedesmus subspicatus) (similar substance)	2.6 mg/L (Brachydanio rerio) (similar substance) LC50 (96h) 1.1 mg/L (Salmo gairdneri) (similar substance) NOEC 0.88 mg/L (reproduction) (Lepomis macrochirus) (similar substance)	No information available	EC50 (48h) 1.2 mg/L (Daphnia magna) (Similar substance) EC50 (48h) 0.6 mg/L (Daphnia magna) (Similar substance) NOEC (21d) 0.77 mg/L (reproduction) (Daphnia magna) (Similar substance)

#### 12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Hydrotreated light petroleum distillate	64742-47-8	Readily biodegradable (40% @ 28d)
Ethoxylated alcohol	Proprietary	Readily biodegradable (40% @ 28d)

#### 12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethoxylated alcohol	Proprietary	5.17

#### 12.4. Mobility in soil

Substances	CAS Number	Mobility
Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethoxylated alcohol	Proprietary	Kd = 3.07 L/kg Kd = 3.09 L/kg

#### 12.5. Results of PBT and vPvB assessment

No information available

# Safety Data Sheet

## Bore-Commander

SDS Revision Date: 02/22/2018

### 12.6. Other adverse effects

No information available

## 13. Disposal considerations

### 13.1. Waste treatment methods

#### Disposal Method

Disposal should be made in accordance with federal, state, and local regulations.

#### Container disposal

Follow all applicable national or local regulations.

## 14. Transport information

	<b>DOT (Domestic Surface Transportation)</b>	<b>IMO / IMDG (Ocean Transportation)</b>	<b>ICAO/IATA</b>
<b>14.1. UN number</b>	Not restricted	Not restricted	Not restricted
<b>14.2. UN proper shipping name</b>	Not restricted	Not restricted	Not restricted
<b>14.3. Transport hazard class(es)</b>	<b>DOT Hazard Class:</b> Not applicable	<b>IMDG:</b> Not applicable <b>Sub Class:</b> Not applicable	<b>Air Class:</b> Not applicable
<b>14.4. Packing group</b>	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>			
<b>IMDG</b>	Not applicable		
<b>14.6. Special precautions for user</b>	None		

## 15. Regulatory information

### US Regulations

**US TSCA Inventory** All components listed on inventory or are exempt.

**EPA SARA Title III Extremely Hazardous Substances** Not applicable

**EPA SARA (311,312) Hazard Class** Not determined

**California Proposition 65 Regulation.** All components listed do not apply to the California Proposition 65

**MA Right-to-Know Law** Does not apply.

**NJ Right-to-Know Law** Does not apply.



# Safety Data Sheet

**Bore-Commander**

SDS Revision Date: 02/22/2018

**PA Right-to-Know Law** Does not apply.

**Canadian Regulations  
Canadian DSL Inventory**

All components listed on inventory or are exempt.

## 16. Other information


**This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.**

The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. Buyer assumes all risk of use, storage and handling of the product in compliance with applicable Federal, State and local law and regulations. Right Turn Supply LLC makes no warranty of any kind, express or implied, concerning the accuracy of completeness of the information and data herein. The implied warranties of merchantability and fitness for a particular purpose are specifically excluded. Right Turn Supply LLC will not be liable for claims relating to any use of this product.

**Emergency Overview:**

**Risk Classification System:**

<b>HEALTH</b>	<b>1</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL</b>	<b>0</b>
<b>PPE</b>	<b>C</b>



End of Document