

SDS no. PID1231
Version 5
Revision date 22/Dec/2022
Supersedes date 14/Dec/2018



Safety Data Sheet POLY-PLUS*

1. Identification

1.1 Product identifier

Product name POLY-PLUS*
Product code PID1231

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Shale control agent. Viscosifier. Friction reducer. Flocculating agent.
Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier
M-I L.L.C.
P.O.Box 42842
Houston, TX 77242
www.miswaco.slb.com
Telephone: 1 281-561-1511

M-I SWACO, A Schlumberger Company
200 - 125, 9th Avenue SE
Calgary, Alberta T2G 0P6, Canada
Telephone: 1-780-962-8221

E-mail address SDS@slb.com

Prepared by
Global Regulatory Compliance - Chemicals (GRC - Chemicals)

1.4 Emergency Telephone Number

Emergency telephone (24 Hour) Asia Pacific +65 3158 1074, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, USA +1 281 561 1600, Canada +1 800 579 7421, Argentina: +54 11 5984 3690, Brazil : +55 11 3197 5891

2. Hazards Identification

2.1 Classification of the substance or mixture

GHS - Classification

Health hazards Not classified
Environmental hazards Not classified
Physical Hazards Not classified

2.2 Label elements

Signal word

None

Hazard Statements

This product is not classified as hazardous therefore no (H) hazard statements assigned.

Precautionary Statements

This product is not classified as hazardous therefore has no (P) precautionary statements assigned.

Hazards not otherwise classified

None known

Unknown acute toxicity

Not applicable.

3. Composition/information on Ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical Name | CAS No | Weight-% |
|--|------------|----------|
| Distillates, petroleum, hydrotreated light | 64742-47-8 | 10-30 |
| Isotridecanol, ethoxylated | 69011-36-5 | 1-<3 |

Comments

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First Aid Measures

4.1 First aid measures

Inhalation

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

Ingestion

Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek medical attention if irritation occurs.

Skin contact

Wash skin thoroughly with soap and water. Get medical attention immediately if symptoms occur.

Eye Contact

Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if worn. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

Symptoms

Inhalation Please see Section 11. Toxicological Information for further information.

Ingestion Please see Section 11. Toxicological Information for further information.

Skin contact Please see Section 11. Toxicological Information for further information.

Eye contact Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Water Fog, Alcohol Foam, CO₂, Dry Chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

None known.

Hazardous combustion products

Carbon oxides (COx), Nitrogen oxides (NOx), Hydrogen cyanide (hydrocyanic acid).

5.3 Advice for firefighters

Special protective equipment and precautions for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. See also section 8. Extremely slippery when spilled.

Advice for non-emergency responders

Evacuate non-essential personnel.

Advice for emergency responders

Evacuate personnel to safe areas. Use non-slip safety shoes in areas where spills or leaks can occur. Wear respiratory protection. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to applicable federal, state and local regulations.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Do not flush with water. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Do not breathe vapors or spray mist. Avoid spills and splashing during use. Extremely slippery when spilled.

Hygiene measures

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions Ensure adequate ventilation.

Storage precautions Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid heat, flames and other sources of ignition. Keep away from direct sunlight. Protect from freezing. Avoid contact with: Oxidizing agents. Keep at >5 - <30°C.

Packaging materials Use specially constructed containers only.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Component Information

| Chemical Name | ACGIH TLV | OSHA PEL | Argentina - Occupational Exposure Limits - TWAs (CMPs) | Brazil - Occupational Exposure Limits - TWAs (LTs) | Mexico - Occupational Exposure Limits - TWAs (LMPE-PPTs) |
|--|----------------|----------------|--|--|--|
| Distillates, petroleum, hydrotreated light | Not determined | Not determined | Not determined | Not determined | Not determined |
| Isotridecanol, ethoxylated | Not determined | Not determined | Not determined | Not determined | Not determined |

IDLH (Immediately Dangerous to Life or Health)

Immediately Dangerous to Life or Health (IDLH) is established by the US National Institute for Occupational Safety and Health (NIOSH). The purpose of establishing an IDLH value is to ensure that the worker can escape from a given contaminated environment in the event of failure of the most protective respiratory protection equipment. In the event of failure of respiratory protection equipment every effort should be made to exit immediately.

| Chemical Name | IDLH (Immediately Dangerous to Life or Health) |
|--|---|
| Distillates, petroleum, hydrotreated light 64742-47-8 | Not applicable |
| Isotridecanol, ethoxylated 69011-36-5 | Not applicable |

8.2 Exposure controls

A risk assessment is recommended to be performed by a qualified and trained personnel to analyze the worksite and recommends the appropriate controls such as engineering controls, work practice controls, and administrative controls as primary means of reducing employee exposure. When there is a remaining hazards after applying the primary controls, Personal Protective Equipment (PPE) must be used.

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required.

Personal protective equipment

Eye protection

Tightly fitting safety goggles.

Hand protection

Impervious gloves made of: PVC Nitrile Neoprene
Break through time >480 minutes
Glove thickness ≥0.4 mm

Respiratory Protection

Be aware that liquid may penetrate the gloves. Frequent change is advisable.
All respiratory protection equipment should be used within a comprehensive respiratory protection program that meets the requirements of 29 CFR 1910.134 (U.S. OSHA Respiratory Protection Standard) or local equivalent. If exposed to airborne mist/aerosol of this product, use an organic vapor cartridge with a P-95 pre-filter attached. In work environments containing oil mist/aerosol, use an organic vapor cartridge with a P-95 pre-filter attached. If exposed to vapors from this product, use a NIOSH/MSHA-approved respirator with an organic vapor cartridge.

Skin and body protection

Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

Hygiene Measures

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

| | |
|-----------------------|---------|
| Physical state | Liquid |
| Appearance | Viscous |
| Color | Milky |

| | | |
|---|--------------------------|-----------------------|
| Odor | Hydrocarbon-like | |
| Odor threshold | Not applicable | |
| <u>Property</u> | <u>Values</u> | <u>Remarks</u> |
| pH | No information available | |
| pH @ dilution | 8.0 – 9.0 | @ 1% |
| Melting point | No information available | |
| Boiling point/range | > 100 °C / > 212 °F | |
| Flash point | > 93.3 °C / > 200 °F | PMCC |
| Evaporation rate (BuAc =1) | No information available | |
| Flammability | Not applicable | |
| Explosion limits: | | |
| Upper explosion limit | No information available | |
| Lower explosion limit | No information available | |
| Vapor pressure | No information available | |
| Relative Vapor Density | No information available | |
| Specific gravity | 1.07 - 1.10 | |
| Bulk density | No information available | |
| Water solubility | Miscible with water. | |
| Solubility in other solvents | No information available | |
| Autoignition temperature | No information available | |
| Decomposition temperature | No information available | |
| Kinematic viscosity | > 20.5 cSt | @ 40 °C |
| Dynamic viscosity | No information available | |
| Partition Coefficient (n-octanol/water) | No information available | |
| Explosive properties | Not applicable | |
| Oxidizing properties | None known. | |
| <u>9.2 Other information</u> | | |
| Pour point | -28.9°C / -20°F | |
| Molecular weight | No information available | |
| VOC content(%) | None | |
| Density and/or Relative Density | No information available | |

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerization

Hazardous polymerization does not occur.

10.4 Conditions to avoid

Avoid heat, flames and other sources of ignition. Keep away from direct sunlight. Keep at temperatures between >5-<30°C. Avoid frost.

10.5 Incompatible materials

Oxidizing agents.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Product information

OECD Test No. 437: Bovine Corneal Opacity and Permeability Test Method for Identifying i) Chemicals Inducing Serious Eye Damage and ii) Chemicals Not Requiring Classification for Eye Irritation or Serious Eye Damage: Not Irritant.

Inhalation

Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye contact

May cause slight irritation.

Skin contact

Prolonged contact may cause redness and irritation.

Ingestion

Ingestion may cause stomach discomfort.

Toxicology data for the components

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--|------------------|---------------------|-------------------|
| Distillates, petroleum, hydrotreated light | 5005 mg/kg (rat) | 2002 mg/kg (Rabbit) | No data available |
| Isotridecanol, ethoxylated | 2002 mg/kg (rat) | 5960 mg/kg (Rabbit) | No data available |

| Chemical Name | IARC Group 1 or 2 | ACGIH - Carcinogens | OSHA listed carcinogens | NTP |
|--|-------------------|---------------------|-------------------------|-------------------|
| Distillates, petroleum, hydrotreated light | No data available | No data available | No data available | No data available |
| Isotridecanol, ethoxylated | No data available | No data available | No data available | No data available |

Delayed and immediate effects and chronic effects from short and long term exposure

Sensitization

This product does not contain any components suspected to be sensitizing.

Mutagenic effects

This product does not contain any known or suspected mutagens.

Carcinogenicity

This product does not contain any known or suspected carcinogens.

Reproductive toxicity

This product does not contain any known or suspected reproductive hazards.

Developmental toxicity

Not known to cause birth defects or have a deleterious effect on a developing fetus.

Routes of Exposure

Inhalation.

| | |
|---|--|
| Routes of entry | Inhalation. |
| Specific target organ toxicity - Single exposure | Not classified |
| Specific target organ toxicity - Repeated exposure | Not classified. |
| Aspiration hazard | The viscosity of this product is high enough that it is not an aspiration risk and the H304 phrase does not apply. |

12. Ecological Information

12.1 Toxicity

Toxicity to algae

See component information below.

Toxicity to fish

See component information below.

Toxicity to daphnia and other aquatic invertebrates

See component information below.

Toxicology data for the components

| Chemical Name | Toxicity to fish | Toxicity to algae | Toxicity to daphnia and other aquatic invertebrates |
|--|---|---|---|
| Distillates, petroleum, hydrotreated light | = 45 mg/L LC50 Pimephales promelas 96 h = 2.4 mg/L LC50 Oncorhynchus mykiss 96 h = 2.2 mg/L LC50 Lepomis macrochirus 96 h | No information available | No information available |
| Isotridecanol, ethoxylated | = 1-10 mg/l (OECD 203) Cyprinus carpio/96 hours | = 1-10 mg/l (OECD 201) Desmodesmus subspicatus/72 hours | = 1-10 mg/l (OECD 202) Daphnia magna/72 hours |

12.2 Persistence and degradability

Readily biodegradable.

12.3 Bioaccumulative potential

Bioaccumulation is unlikely.

12.4 Mobility

The product is miscible with water. May spread in water systems.

12.5 Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)
This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

12.6 Other adverse effects.

None known.

13. Disposal Considerations

13.1 Waste treatment methods

| | |
|-------------------------------|---|
| Disposal Method | Disposal should be made in accordance with federal, state and local regulations. |
| Contaminated packaging | Empty containers should be taken for local recycling, recovery or waste disposal. |

14. Transport information

14.1. UN number

| | |
|------------------------------------|---------------|
| UN No. (DOT) | Not regulated |
| UN No. (MT/ANTT) | Not regulated |
| UN No. (TDG) | Not regulated |
| UN/ID No. (ADR/RID/ADN/ADG) | Not regulated |
| UN No. (IMDG/ANTAQ) | Not regulated |
| UN No. (ICAO/ANAC) | Not regulated |
| UN No. (DPC) | Not regulated |

14.2. UN proper shipping name

Not regulated for transportation by DOT, TDG, IMDG and ICAO/IATA.

14.3 Hazard class(es)

| | |
|--|---------------|
| DOT Hazard class | Not regulated |
| ANTT Hazard class | Not regulated |
| TDG Hazard class | Not regulated |
| ADR/RID/ADN/ADG Hazard class | Not regulated |
| IMDG/ANTAQ Hazard class | Not regulated |
| ICAO/ANAC Hazard class/division | Not regulated |
| DPC Hazard class | Not regulated |

14.4 Packing group

| | |
|--------------------------------------|---------------|
| DOT Packing group | Not regulated |
| ANTT Packing group | Not regulated |
| TDG Packing group | Not regulated |
| ADR/RID/ADN/ADG Packing group | Not regulated |
| IMDG/ANTAQ Packing group | Not regulated |
| ICAO/ANAC Packing group | Not regulated |
| DPC Packing group | Not regulated |

14.5 Environmental hazard

| | |
|------------------|----|
| Marine pollutant | No |
|------------------|----|

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory Information

International inventories

| | |
|---------------------|----------|
| USA (TSCA) | Complies |
| Canada (DSL) | Complies |
| Philippines (PICCS) | Complies |
| Japan (ENCS) | Complies |
| China (IECSC) | Complies |
| Australia (AICS) | Complies |
| Korean (KECL) | Complies |
| New Zealand (NZIoC) | Complies |

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

IMPORTS, Canada

No import volume restrictions.

U.S. Federal and State Regulations

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

| Chemical Name | SARA 302 / TPQs | SARA 313 | CERCLA RQ |
|--|-----------------|----------|-----------|
| Distillates, petroleum, hydrotreated light | N/A | N/A | N/A |
| Isotridecanol, ethoxylated | N/A | N/A | N/A |

California Proposition 65

WARNING



This product can expose you to chemicals including those listed below, which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

| Chemical Name | California Proposition 65 |
|------------------------------------|--|
| 2-Propenamid (impurity) 79-06-1 | developmental toxicity male reproductive toxicity carcinogen |

Canadian Classification

This Safety Data Sheet has been prepared in compliance with the Hazardous Products Regulations.

Brazilian Regulations

| | |
|---------------------------------|---|
| <u>Brazil Regulation</u> | This SDS was prepared in accordance with Brazil law ABNT NBR 14725:2014 |
| Federal Police | Not determined |
| Army | Not determined |
| ANVISA | Not determined |
| MTE (NR 15) | No information available |

16. Other Information

| | |
|--|--|
| Supersedes date | 14/Dec/2018 |
| Revision date | 22/Dec/2022 |
| Version | 5 |
| This SDS has been revised in the following section(s) | All sections. No changes with regard to classification have been made. |
| HMIS classification | |
| Health | 1 |
| Flammability | 1 |
| Physical hazard | 0 |
| PPE | E |

N/A - Not Applicable, N/D - Not Determined.

*A mark of M-I L.L.C., a Schlumberger Company

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.